

# MTools (Pro/ Ultimate/ Enterprise)

The ultimate timesaving toolbox for every excel user!  
v1.12

User Guidelines



Marc Müller  
mmue@gmx.net

Release date: 23.07.2019

# Table of contents

Topic	Page
END USER LICENSE AGREEMENT (EULA)	13 – 14
<b>Buy Now</b>	15
Revision History	16
Key Benefits	17
<b>Installation</b>	
Install MTools automatically	18
Install MTools manually	19
Uninstall MTools	20
<b>User Interface</b>	
Functions Overview	21– 22
Shortcuts Overview	23
<b>Functions</b>	
<b>Functions Category "Change Addressing To..."</b>	
Absolute Addressing	24
Relative Addressing	24
Mixed Addressing	25
<b>Functions Category "Protected Worksheet Tools"</b>	
Copy To	26
Search and Replace	27
Clear Contents	28
Clear Comments	29
Change Groupings	30
<b>Functions Category "Protect or Hide"</b>	
Protect All Worksheets	31
Unprotect All Worksheets	31

# Table of contents

Topic	Page
Protect Selected Worksheets	32
Unprotect Selected Worksheets	32
Hide Sheets	33
Unhide Sheets	33
Protect Workbook	34
Unprotect Workbook	34
Encrypt Workbook (only MTools Pro/ Ultimate/ Enterprise)	35
Decrypt Workbook (only MTools Pro/ Ultimate/ Enterprise)	35
<b>Functions Category "Readability Improvements"</b>	
Freeze Panes	36
Unfreeze Panes	36
Enable Anchor Mode	37
Disable Anchor Mode	37
<b>Functions Category "Multiple Workbook Functions" (only MTools Pro/ Ultimate/ Enterprise)</b>	
Update Links	38
Replace in all Links	39
Protect All Worksheets	40
Unprotect All Worksheets	40
Protect Workbooks	41
Unprotect Workbooks	41
Encrypt Excel files	42
Decrypt Excel files	42

# Table of contents

Topic	Page
Custom Function <b>(only MTools Ultimate/ Enterprise)</b>	43
Open linked Workbooks	44
Close linked Workbooks	44
<b>Functions Category "Fix Excel Problems"</b>	
Apply active Number Format	45
Enhanced Workbook Calculation	46
<b>Functions Category "Report Tools" (only MTools Pro/ Ultimate/ Enterprise)</b>	
Lock/ Unlock Cells	47
Unlock marked Cells	48
Mark unlocked cells	49
Group Selection by Indent Level	50
Refresh Report <b>(only MTools Ultimate/ Enterprise)</b>	51
Compare original with manipulated Report <b>(only MTools Ultimate/ Enterprise)</b>	52
<b>Functions Category "Data Tables" (only MTools Pro/ Ultimate/ Enterprise)</b>	
Remove duplicate Rows	53
Mark duplicate Rows	54
Remove specific Rows <b>(only MTools Ultimate/ Enterprise)</b>	55
Keep specific Rows <b>(only MTools Ultimate/ Enterprise)</b>	56
Change Values to Text	57

# Table of contents

Topic	Page
<b>Functions Category "VBE Tools" (only MTools Ultimate/ Enterprise)</b>	
Remove VBA Comments	58
Export VBA Code	59
Remove VBA Code	60
<b>Functions Category "Miscellaneous"</b>	
Edit Links	61
Edit Names	62
Add Formula	63
Add Worksheets	64
Set Print Area	65
Insert Rows (only MTools Pro/ Ultimate/ Enterprise)	66
Insert Columns (only MTools Pro/ Ultimate/ Enterprise)	67
Paste Special Values	68
Paste Special Formulas	68
About MTools	69
<b>Excel Warnings (only MTools Pro/ Ultimate/ Enterprise)</b>	
Manual Calculation Warning	70

# Table of contents

Topic	Page
<b>Worksheet Functions</b> (only MTools Pro/ Ultimate/ Enterprise)	
Definition & possible issues	71
Where to find?	72
How to access?	73
Possible linking issues	74
<b>User- &amp; Computer identification</b>	
=mtoolsUsername()	75
=mtoolsUsernameWindows()	75
=mtoolsMACAddress([Index_MAC])	75
=mtoolsMACAdapter([Index_MAC])	75
<b>Workbook informations</b>	
=mtoolsFilePath()	76
=mtoolsFileName()	76
=mtoolsPath()	76
=mtoolsSheetName([Index_Sheet])	76
=mtoolsSheetNameInternal([Index_Sheet])	76
=mtoolsSheetsCount([OnlyVisible])	76
<b>Cell Comments</b>	
=mtoolsGetComment(CellX,[ShowAuthor];[ShowSource];[ShowText])	77
=mtoolsGetComments([CommentsCount];[Index1stComment];[Name_Sheet];[ShowAuthor];[ShowSource];[ShowText])	77
=mtoolsGetCommentsCount([Name_Sheet])	77
<b>Links</b>	
=mtoolsGetLink([Index_Link])	78
=mtoolsGetLinks()	78
=mtoolsGetLinksCount()	78

# Table of contents

Topic	Page
<b>Sum If...</b>	
=mtoolsSumIfBold(Sum_Range)	79
=mtoolsSumIfItalic(Sum_Range)	79
=mtoolsSumIfUnderlined(Sum_Range)	79
=mtoolsSumIfVisible(Sum_Range)	79
=mtoolsSumIfInvisible(Sum_Range)	79
=mtoolsSumIfLocked(Sum_Range)	80
=mtoolsSumIfUnlocked(Sum_Range)	80
=mtoolsSumIfCellColored	80
<b>Count If...</b>	
=mtoolsCountIfBold(Count_Range)	81
=mtoolsCountIfItalic(Count_Range)	81
=mtoolsCountIfUnderlined(Count_Range)	81
=mtoolsCountIfVisible(Count_Range)	81
=mtoolsCountIfInvisible(Count_Range)	81
=mtoolsCountIfLocked(Count_Range)	82
=mtoolsCountIfUnlocked(Count_Range)	82
=mtoolsCountIfUnlockedEmpty(Count_Range)	82
=mtoolsCountIfUnlockedNotEmpty(Count_Range)	82
=mtoolsCountIfCellColored(Count_Range)	82

# Table of contents

Topic	Page
<b>Average If...</b>	
=mtoolsAverageIfBold(Average_Range)	83
=mtoolsAverageIfItalic(Average_Range)	83
=mtoolsAverageIfUnderlined(Average_Range)	83
=mtoolsAverageIfVisible(Average_Range)	83
=mtoolsAverageIfInvisible(Average_Range)	83
=mtoolsAverageIfLocked(Average_Range)	84
=mtoolsAverageIfUnlocked(Average_Range)	84
=mtoolsAverageIfCellColored(Average_Range)	84
<b>Max If...</b>	
=mtoolsMaxIfBold(Max_Range)	85
=mtoolsMaxIfItalic(Max_Range)	85
=mtoolsMaxIfUnderlined(Max_Range)	85
=mtoolsMaxIfVisible(Max_Range)	85
=mtoolsMaxIfInvisible(Max_Range)	85
=mtoolsMaxIfLocked(Max_Range)	86
=mtoolsMaxIfUnlocked(Max_Range)	86
=mtoolsMaxIfCellColored(Max_Range)	86

# Table of contents

Topic	Page
<b>Min If...</b>	
=mtoolsMinIfBold(Min_Range)	87
=mtoolsMinIfItalic(Min_Range)	87
=mtoolsMinIfUnderlined(Min_Range)	87
=mtoolsMinIfVisible(Min_Range)	87
=mtoolsMinIfInvisible(Min_Range)	87
=mtoolsMinIfLocked(Min_Range)	88
=mtoolsMinIfUnlocked(Min_Range)	88
=mtoolsMinIfCellColored(Min_Range)	88
<b>Sum/ Count/ Average/ Max/ Min by Color</b>	
=mtoolsGetColorNumberCell(CellX)	89
=mtoolsGetColorNumberFont(CellX)	89
=mtoolsSumByColorNumberCell(Sum_Range;ColorNumber)	89
=mtoolsCountByColorNumberCell(Count_Range;ColorNumber)	89
=mtoolsAverageByColorNumberCell(Average_Range;ColorNumber)	89
=mtoolsMaxByColorNumberCell(Max_Range;ColorNumber)	90
=mtoolsMinByColorNumberCell(Min_Range;ColorNumber)	90
=mtoolsSumByColorNumberFont(Sum_Range;ColorNumber)	90
=mtoolsCountByColorNumberFont(Count_Range;ColorNumber)	90
=mtoolsAverageByColorNumberFont(Average_Range;ColorNumber)	90
=mtoolsMaxByColorNumberFont(Max_Range;ColorNumber)	91
=mtoolsMinByColorNumberFont(Max_Range;ColorNumber)	91

# Table of contents

Topic	Page
<b>Other Worksheet Functions</b>	
=mtoolsGetFormula(CellX)	92
=mtoolsGetFormulaInt(CellX)	92
=mtoolsExtractNumbers(CellsX)	92
=mtoolsRemoveNumbers(CellX)	92
=mtoolsMergeCells(Merge_Range;[Separator][NoEmptyCells];[OnlyVisible])	93
<b>Names</b>	
=mtoolsGetDefinedName([Index_Name];[OnlyVisible])	94
=mtoolsGetDefinedNameFormula([Index_Name];[OnlyVisible])	94
=mtoolsGetDefinedNames([NamesCount];[Index1stName];[OnlyVisible])	94
=mtoolsGetDefinedNamesFormulas([NamesCount];[Index1stName];[OnlyVisible])	94
=mtoolsGetDefinedNamesCount([WholeWorkbook];[OnlyVisible])	94
<b>OLE Objects</b>	
=mtoolsGetOLEObjectsCount([Name_Sheet];[OnlyVisible])	95

# Table of contents

Topic	Page
<b>FAQ – Frequently Asked Questions</b>	
1. Does the message “Excel is not responding” mean that Excel crashed?	96
2. How can I use the MTools functions to improve my working efficiency?	96
3. Why does the MTools Worksheet Function X not automatically recalculate, although the automatic calculation is enabled?	97

# Table of contents

---

# END USER LICENSE AGREEMENT

---

## MTools (Pro/ Ultimate/ Enterprise) License Agreement

### Notice to Users

This End User License Agreement (the "Agreement") is a legally binding agreement between you (either an individual or an entity, the "User"), and Marc Müller regarding the software MTools (Pro/Ultimate/Enterprise) (the "Software" or the "Program"), and b) all successor revisions, patches, fixes, modifications, copies or additions to the Software, if any, licensed to you by Marc Müller (collectively, the "Updates"), and c) related user documentation and explanatory materials or files provided in written, "online" or electronic form (the "Documentation" and together with the Software and Updates, the "PRODUCT" or the "Distribution Package").

CAREFULLY READ THE FOLLOWING LEGAL AGREEMENT. USE OF THE PRODUCT PROVIDED WITH THIS AGREEMENT CONSTITUTES YOUR ACCEPTANCE OF THESE TERMS. IF YOU DO NOT AGREE TO THE TERMS OF THIS AGREEMENT, DO NOT INSTALL AND/OR USE THE PRODUCT. YOUR USE OF THE PRODUCT IS CONDITIONED UPON COMPLIANCE WITH THE TERMS OF THIS AGREEMENT.

### Intellectual Property Rights

The PRODUCT is owned and copyrighted by Marc Müller. The Software and any documentation included in the distribution package are protected by national copyright laws and international treaties. Any unauthorized use of the PRODUCT shall result in immediate and automatic termination of this license and may result in criminal and/or civil prosecution. Your possession, installation or use of the PRODUCT does not transfer to you any title to the intellectual property in the PRODUCT, and you will not acquire any rights in the PRODUCT except as expressly set forth in this Agreement.

### Legality Statement

The program that is licensed to you is absolutely legal and you can use it provided that you are the legal owner of all files, applications or data you are going to recover or modify through the use of this software or have permission from the legitimate owner to perform these acts (e.g. recover passwords). There may be functions in this program that do not inform the users, that they temporarily unprotect workbooks or worksheets. Before using this program, you have to confirm (by accepting the EULA) that you are aware of this fact, that you accept it and that you are the legal owner of all files, applications or data you are going to unprotect through the use of this software or have permission from the legitimate owner to perform these acts. Any illegal use of this software will be solely your responsibility. Accordingly, you affirm that you have the legal right to access all data, information and files that have been hidden or locked. You further attest that the recovered or modified data, applications, passwords and/or files will not be used for any illegal purpose. Be aware that password/application modification or recovery and the subsequential data decryption of unauthorized or otherwise illegally obtained files may constitute theft or another wrongful action and may result in your civil and (or) criminal prosecution. **The program is not licensed for use in any commercial, non-profit, or revenue generating business activities.**

# END USER LICENSE AGREEMENT

## WARRANTY STATEMENT

---

### MTools (Pro/ Ultimate/ Enterprise) SOFTWARE PRODUCT "AS IS" WARRANTY STATEMENT

#### **DISCLAIMER**

TO THE EXTENT ALLOWED BY LOCAL LAW, THIS SOFTWARE PRODUCT ("SOFTWARE") IS PROVIDED TO YOU "AS IS" WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, WHETHER ORAL OR WRITTEN, EXPRESS OR IMPLIED. Marc Müller SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY, SATISFACTORY QUALITY, NON-INFRINGEMENT AND FITNESS FOR A PARTICULAR PURPOSE. Some countries, states and provinces do not allow exclusions of implied warranties or conditions. If this applies to your country, state or province then you have no permission to use this software.

#### **LIMITATION OF LIABILITY**

IN NO EVENT WILL Marc Müller BE LIABLE FOR DIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL OR OTHER DAMAGES (INCLUDING LOST PROFIT, LOST DATA, OR DOWNTIME COSTS), ARISING OUT OF THE USE, INABILITY TO USE, OR THE RESULTS OF USE OF THE SOFTWARE, WHETHER BASED IN WARRANTY, CONTRACT, TORT OR OTHER LEGAL THEORY, AND WHETHER OR NOT ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Your use of the Software is entirely at your own risk.

#### **LIMITATION ON REMEDIES**

NO CONSEQUENTIAL OR OTHER DAMAGES. Your exclusive remedy for any breach of this Limited Warranty is as set forth below. Except for any refund elected by Marc Müller, YOU ARE NOT ENTITLED TO ANY DAMAGES, INCLUDING BUT NOT LIMITED TO CONSEQUENTIAL DAMAGES, if the Software does not meet Marc Müller's Limited Warranty, and, to the maximum extent allowed by applicable law, even if any remedy fails of its essential purpose. YOUR EXCLUSIVE REMEDY. Marc Müller's entire liability and your exclusive remedy for any breach of this Limited Warranty or for any other breach of this EULA or for any other liability relating to the Software shall be, at Marc Müller's option from time to time exercised subject to applicable law, (a) return of the amount paid (if any) for the Software, or (b) repair or replacement of the Software, that does not meet this Limited Warranty and that is returned to Marc Müller with a copy of your receipt.

# Donation

## Donation for MTools

After years of development, I finally decided to give away this software for free. So if my add'in helps you in your daily work, then I would appreciate a small donation from you. Think about it when you are making your next coffee break and enjoy the time you saved by using this addin 😊. See it like that: For less than the price of a coffee, you can support the further development of this software and support me in paying for the cloud servers, where people can download this software.

Edition	Price	Characteristics	Make a donation
MTools	USD 6.95 <b>(Now FREE)</b>	<ul style="list-style-type: none"><li>- Single User license</li><li>- Provides over <b>30</b> time-saving functions</li><li>- <b>No commercial use ! ⇒ EULA</b></li></ul>	 <p>A yellow rounded rectangular button with the word "Donate" in black text. Below the button are four payment logos: VISA, Mastercard, American Express, and SEPA.</p>
MTools Pro	USD 19.95 <b>(Now FREE)</b>	<ul style="list-style-type: none"><li>- Single User license</li><li>- Provides over <b>80</b> time-saving functions</li><li>- <b>No commercial use ! ⇒ EULA</b></li></ul>	
MTools Ultimate	USD 49.95 <b>(Now FREE)</b>	<ul style="list-style-type: none"><li>- Single User license</li><li>- Provides over <b>130</b> time-saving functions</li><li>- <b>No commercial use ! ⇒ EULA</b></li></ul>	
MTools Enterprise	<b>(Now FREE)</b>	<ul style="list-style-type: none"><li>- Single User license for every employee of the company</li><li>- Provides over <b>130</b> time-saving functions</li><li>- <b>No commercial use ! ⇒ EULA</b></li></ul>	

# Revisions History

Release	Date	Major Change
1.12	23.07.2019	Help Button
1.11	17.07.2019	The software is now available for free! (Voluntary donations are welcome... ☺)
1.10	03.05.2016	MTools Worksheet Functions (MWF) – Part IV
1.09	10.11.2013	MTools Worksheet Functions (MWF) – Part III
1.08	24.01.2013	MTools Worksheet Functions (MWF) – Part II
1.07	01.11.2012	MTools Worksheet Functions (MWF) – Part I
1.06	05.04.2012	Database functions for e.g. SAP User
1.05	20.12.2011	Ribbon User interface for Excel 2007 & 2010
1.04	01.05.2011	New Function: Encrypt/ Decrypt Excel files (128 Bit RC4 encrypted)
1.03	18.01.2011	French language support
1.02	23.11.2010	German language support
1.01	05.10.2010	New function "Edit Names"
1.00	02.09.2010	First public release
...		
0.01	10.12.2007	The first release of the Excel AddIn MTools

# Key Benefits

---

- 1. Support for multiple worksheets**  
Many functions support multiple worksheets. This means that you can select multiple worksheets - eventually you also need to select a cell range (valid for all selected sheets) - and execute the function.
- 2. Support for multiple closed workbooks**  
There are tasks, that the user has to execute in multiple excel files (e.g Protect all worksheets). Many MTools functions let the user select an unlimited number of excel files and those files will be opened one after the other and the corresponding function will be executed.
- 3. Handles protected worksheets**  
Many functions work also in protected worksheets. This means that you can execute those functions in protected worksheets and the function will ignore the locked cells but handle the unlocked cells. You can e.g. copy a formula to all unlocked cells in a worksheet without modifying the locked cells. This is something Excel cannot do by default.
- 4. Recovery of lost passwords**  
This software is able to recover lost worksheet/ workbook passwords. An additional benefit is, that this functionality is not visible to people who do not know it, because you only get it by entering a special password.  
Please notice that you have to read and agree to adhere to the legality statement in the EULA before using this functionality. Whenever you use MTools, I assume that you are the legal owner of the used files and that you have the right to unprotect the sheets or workbooks even if it happens unnoticed.
- 5. As simple as possible but not simpler**  
One of my goals was to make MTools as simple as possible and to think for the users instead of confusing them with too many options. I have a target audience in my mind to which I belong as well - people in a controlling and reporting environment - and I try to figure out what they need most and deliver that and only that, because I think that less is sometimes more. There is a reason, why Microsoft doesn't deliver a function for every possible Excel problem and the reason is maybe that they think as well, that too many functions would confuse the users more than they would serve them.

# Install MTools

## Automatic installation

### How to Install MTools

The automatic installation installs MTools in the Microsoft Add-ins folder of the active User (e.g. C:\Users\Marc\AppData\Roaming\Microsoft\AddIns). Advanced user might prefer to install MTools in a folder of their choice. That procedure will be explained on the next slide.

- **UNZIP your download first!** Otherwise the installation will fail! (*Do not just open the ZIP container with a double click!!!*)
- Open the Excel Workbook "Install.xls"
- Click **(1)** on the button "Install" (*Any previous installation of MTools (Pro/ Ultimate/ Enterprise) will be overwritten.*)

Please notice that MTools **doesn't make any entries in the Windows Registry**. No matter what access restrictions you have on your computer, MTools should work as long as you can use foreign excel spreadsheets on your computer.

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
1			<b>MTools (Pro/ Ultimate/ Enterprise)</b>																
2			v1.05																
3																			
4			<b>Please click on the buttons below to install/ uninstall the AddIn:</b>																
5																			
6			<b>(1)</b> Install																
7			Uninstall																
8																			
9																			
10			<b>MTools (Pro/ Ultimate/ Enterprise) SOFTWARE PRODUCT "AS IS" WARRANTY STATEMENT</b>																
11																			
12			<b>DISCLAIMER.</b> TO THE EXTENT ALLOWED BY LOCAL LAW, THIS SOFTWARE PRODUCT ("SOFTWARE") IS PROVIDED TO YOU "AS IS" WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, WHETHER ORAL OR WRITTEN, EXPRESS OR IMPLIED. Marc Müller SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY, SATISFACTORY QUALITY, NON-INFRINGEMENT AND FITNESS FOR A PARTICULAR PURPOSE. Some countries, states and provinces do not allow exclusions of implied warranties or conditions. If this applies to your country, state or province then you have no permission to use this software.																
13																			

# Install MTools

## Manual installation

---

### How to install MTools manually

The manual installation of MTools in a folder of your choice is only for advanced users and will be soon replaced by a “semi automatic installation” procedure that is much simpler.

1. Open the Excel Workbook “Install.xls”
2. ‘File ⇒ Save As’ in the folder of your choice (e.g. C:\Tools\Mtools\MTools.xla) .  
Please notice that the **filename cannot be chosen!** It has to be ‘MTools.xla’ or ‘MTools.xlam’ but not e.g. ‘Tools.xla”.
3. Copy the file ‘Ribbon\MTools Ribbon.xlam’ in the same folder.
4. Now register the files ‘MTools.xla’ (or ‘MTools.xlam’) & ‘MTools Ribbon.xlam’ (File ⇒ Options ⇒ Add-Ins ⇒ Go... ⇒ Browse...) and activate them by selecting the corresponding checkmarks.

Please notice that you have to make the manual installation only once. If you install later a new version of MTools, then the automatic installation will detect, that you prefer a different directory and will se it.

### Why should I install MTools manually?

The automatic installation installs MTools in a user specific folder. This is a disadvantage, when you are using the ‘MTools Worksheet Functions’ (MWF) and distributing your spreadsheets to other people. The reason for that is that, Excel is creating an excel link to the add-in MTools, when you are using the MWF. If you distribute now your spreadsheet to other people, then the mentioned excel link will point to a wrong location and for that user, the MWF will return a reference error. However, MTools will inform the user about this problem and fix it on demand, but nevertheless it is easier if every user saves the addin MTools in the same folder on the same drive (e.g. C:\MTools).

# Uninstall MTools

## How to Uninstall MTools


- Open the Excel Workbook “Install.xls”
- Click (1) on the button “Uninstall” (You can use a Pro/ Ultimate or Enterprise (Trial) edition to uninstall any release of MTools)

	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
1	<b>MTools (Pro/ Ultimate/ Enterprise)</b>																	
2	v1.05																	
3																		
4	<b>Please click on the buttons below to install/ uninstall the AddIn:</b>																	
5																		
6	<input type="button" value="Install"/> <input type="button" value="(1) Uninstall"/>																	
7																		
8																		
9																		
10	<b>MTools (Pro/ Ultimate/ Enterprise) SOFTWARE PRODUCT "AS IS" WARRANTY STATEMENT</b>																	
11																		
12																		
13	<b>DISCLAIMER.</b> TO THE EXTENT ALLOWED BY LOCAL LAW, THIS SOFTWARE PRODUCT ("SOFTWARE") IS PROVIDED TO YOU "AS IS" WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, WHETHER ORAL OR WRITTEN, EXPRESS OR IMPLIED. Marc Müller SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY, SATISFACTORY QUALITY, NON-INFRINGEMENT AND FITNESS FOR A PARTICULAR PURPOSE. Some countries, states and provinces do not allow exclusions of implied warranties or conditions. If this applies to your country, state or province then you have no permission to use this software.																	
14																		
15	<b>LIMITATION OF LIABILITY.</b> IN NO EVENT WILL Marc Müller BE LIABLE FOR DIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL OR OTHER DAMAGES (INCLUDING LOST PROFIT, LOST DATA, OR DOWNTIME COSTS), ARISING OUT OF THE USE, INABILITY TO USE, OR THE RESULTS OF USE OF THE SOFTWARE, WHETHER BASED IN WARRANTY, CONTRACT, TORT OR OTHER LEGAL THEORY, AND WHETHER OR NOT ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. <b>Your use of the Software is entirely at your own risk.</b>																	
16																		
17	<b>LIMITATION ON REMEDIES.</b> NO CONSEQUENTIAL OR OTHER DAMAGES. Your exclusive remedy for any breach of this Limited Warranty is as set forth below. Except for any refund elected by Marc Müller, YOU ARE NOT ENTITLED TO ANY DAMAGES, INCLUDING BUT NOT LIMITED TO CONSEQUENTIAL DAMAGES, if the Software does not meet Marc Müller's Limited Warranty, and, to the maximum extent allowed by applicable law, even if any remedy fails of its essential purpose. YOUR EXCLUSIVE REMEDY. Marc Müller's entire liability and your exclusive remedy for any breach of this Limited Warranty or for any other breach of this EULA or for any other liability relating to the Software shall be, at Marc Müller's option from time to time exercised subject to applicable law, (a) return of the amount paid (if any) for the Software, or (b) repair or replacement of the Software, that does not meet this Limited Warranty and that is returned to Marc Müller with a copy of your receipt.																	
18																		


# Functions Overview

## Main Menu and Shortcut Menu

### Main Menu



### Shortcut Menu



# Functions Overview

## Submenu Items

### Change Addressing To...

-  Absolute Addressing
- Relative Addressing
- Mixed Addressing...

### Protected Worksheet Tools

-  Copy to...
-  Search and Replace...
-  Clear Contents
-  Clear Comments
-  Change Groupings...

### Protect or Hide

-  Protect All Worksheets...
- Unprotect All Worksheets...
-  Protect Selected Worksheets...
- Unprotect Selected Worksheets...
- Unprotect Workbook...
-  Hide Sheets...
-  Unhide Sheets...

### Readability Improvements

-  Freeze Panes
- Unfreeze Panes
-  Enable Anchor Mode    CTRL+SHIFT+A
- Disable Anchor Mode    CTRL+SHIFT+A

### Multiple Workbook Functions

-  Update Links...
-  Replace in all Links...
-  Protect All Worksheets...
- Unprotect All Worksheets...
- Encrypt Excel Files...
- Decrypt Excel Files...
-  Custom VBA Function...
-  Open linked Workbooks...
-  Close linked Workbooks...

### Fix Excel Problems

-  Apply active Number Format
-  Enhanced Workbook Calculation    CTRL+SHIFT+R

### VBE Tools

-  Remove VBA Comments...
-  Export VBA Code
-  Remove VBA Code

### Report Tools

-  Lock/ Unlock Cells...
- Unlock marked Cells...
-  Mark unlocked Cells...
-  Group Selection by Indent Level    CTRL+SHIFT+G
-  Refresh Report...
-  Compare original with manipulated Report...

### Data Tables

-  Remove duplicate Rows
-  Mark duplicate Rows
- Remove specific Rows...
- Keep specific Rows...

### Miscellaneous

-  Edit Links...    CTRL+SHIFT+L
-  Edit Names...    CTRL+SHIFT+N
-  Add Formula...
-  Add Worksheets...    CTRL+SHIFT+S
-  Set Print Area...
- Insert Rows...    CTRL+SHIFT+I
- Insert Columns...
-  Paste Special Values    CTRL+SHIFT+V
-  Paste Special Formulas    CTRL+SHIFT+F
-  About MTools...

# Shortcuts Overview

Function	Shortcut
Toggle MTools Menu <b>(only MTools Ultimate/ Enterprise)</b>	CTRL + SHIFT + <b>M</b>
Toggle Anchor Mode	CTRL + SHIFT + <b>A</b>
Enhanced Workbook Calculation	CTRL + SHIFT + <b>R</b>
Group Selection by Indent Level	CTRL + SHIFT + <b>G</b>
Edit Links	CTRL + SHIFT + <b>L</b>
Edit Names	CTRL + SHIFT + <b>N</b>
Add Worksheets	CTRL + SHIFT + <b>S</b>
Insert Rows	CTRL + SHIFT + <b>I</b>
Change Values to Text	CTRL + SHIFT + <b>T</b>
Paste Special Values	CTRL + SHIFT + <b>V</b>
Paste Special Formulas	CTRL + SHIFT + <b>F</b>

# Submenu - Change Addressing To...

## Absolute and Relative Addressing

### Absolute Addressing

This function changes the relative Addressing (i.e. =A1) in formulas into an absolute Addressing (i.e. =\$A\$1) in the selected cells (1) of the selected worksheet(s).

i.e: = A1 + A2 + 7 ⇒ = \$A\$1 + \$A\$2 + 7

### Relative Addressing

This function changes the absolute Addressing (i.e. =\$A\$1) in formulas into a relative Addressing (i.e. =A1) in the selected cells (1) of the selected worksheet(s).

i.e: = \$A\$1 + \$A\$2 + 7 ⇒ = A1 + A2 + 7

### Key Benefit

- Works also in protected worksheets (*unlocked cells*)

C	D	E	F	G
10	10	10	10	
10	10	(1)	10	10
23	33	43	53	
10	10	10	10	
25	35	45	55	



- Change Addressing To... ▸ Absolute Addressing (2)
- Protected Worksheet Tools ▸ Relative Addressing
- Protect or Hide ▸ Mixed Addressing...
- Readability Improvements ▸
- Multiple Workbook Functions ▸
- Fix Excel Problems ▸
- Report Tools ▸
- Miscellaneous ▸

# Submenu - Change Addressing To...

## Mixed Addressing

### Mixed Addressing



This function let's you change the addressing (i.e. =A1) in formulas into a combination of absolute und relative addressing (i.e. =\$A1) in the selected cells (1) of the selected worksheet(s).

i.e. = A1 + A2 + 7 ⇒ = \$A\$1 + \$A\$2 + 7

### Key Benefit

- Works also in protected worksheets (*unlocked cells*)

C	D	E	F	G
10	10	10	10	
10	10	(1)	10	10
23	33	43	53	
10	10	10	10	
25	35	45	55	



# Submenu - Protected Worksheet Tools

## Copy To

### Copy To

1. Select the cells, that you want to copy
2. Copy To...
3. Click on the button "..."
4. Select the destination area
5. Paste data as formulas/values or only as values?
6. Do you want to copy the source data multiple times?  
'Multiple Paste' checked  
 Copy the source data n-times in the destination area without passing over the selected destination area.





### 'Multiple Paste' unchecked

Copy the source data exactly once to the destination area.  
 (Even if the destination area is smaller than the source area)

7. Copy

### Key Benefit

- Works also in protected worksheets (*unlocked cells*)



# Submenu - Protected Worksheet Tools

## Search and Replace

### Search and Replace

This function replaces in the selected area of the selected sheets a chosen string by another string.




1. Select one or multiple cells
2. Search and Replace
3. Search for what? (not case sensitive)
4. Replace by what?
5. Replace All ⇔ Replace everywhere in the selected area
6. Close



### Key Benefit

- Works also in protected worksheets (*unlocked cells*)



# Submenu - Protected Worksheet Tools

## Clear Contents

### Clear Contents


This function deletes the content of the selected cells in the selected worksheets.

1. Select one or multiple cells
2. Right mouse click ⇒ Clear Contents

### Key Benefit

- Works also in protected worksheets (*unlocked cells*)

	Switzerland	Spanien
(1)	Germany	Italy
	Spanien	France



	Switzerland	Spanien
	Spanien	France

# Submenu - Protected Worksheet Tools

## Clear Comments


### Clear Comments

This function deletes the comments in the selected cells of the selected worksheets.

1. Select one or multiple cells
2. Right mouse click ⇒ Clear Comments

### Key Benefit

- Works also in protected worksheets (*unlocked cells*)



# Submenu - Protected Worksheet Tools

## Change Groupings

### Change Groupings




This function lets you determine the Outline level for all selected worksheets.

You can open/close the Groupings in columns and/or rows.

1. Protected Worksheet Tools ⇒ Change Groupings
2. Minimize or Maximize the Groupings?  
*(or select the outline level)*
3. Apply changes for groupings in rows and/or columns?
4. OK

### Key Benefit

- Changes the Outline level for multiple worksheets at once



# Submenu - Protect or Hide

## Protect/ Unprotect all Worksheets

### Protect All Worksheets

This function protects the selected worksheets in the active workbook with a chosen password.

Please notice that by default you should not select any of the advanced options below.

### Unprotect All Worksheets

This function unprotects all worksheets in the active workbook. If necessary, you will be asked for a password.

The required password to "recover" any lost password will be delivered when you buy the software.

### Key Benefit

- Recovers lost passwords
- Protects/ unprotects multiple worksheets at once

**Protect Worksheet(s)**

Password to protect the sheet(s):  
\*\*\*\*

Confirm Password:  
\*\*\*\*

Show Passwords

Allow all users of these worksheet(s) to:

<b>Select Cells</b> <input type="checkbox"/> Select locked cells <input type="checkbox"/> Select unlocked cells	<b>Delete Cells</b> <input type="checkbox"/> Delete columns <input type="checkbox"/> Delete rows
<b>Format Cells</b> <input type="checkbox"/> Format Cells <input type="checkbox"/> Format columns <input type="checkbox"/> Format rows	<b>Other</b> <input type="checkbox"/> Edit objects <input type="checkbox"/> Edit scenarios <input type="checkbox"/> Sort <input type="checkbox"/> Use AutoFilter <input type="checkbox"/> Use PivotTable reports <input type="checkbox"/> Insert hyperlinks
<b>Insert Cells</b> <input type="checkbox"/> Insert columns <input type="checkbox"/> Insert rows	

Only MTools Pro/ Ultimate/ Enterprise

OK  
Cancel

**Unprotect Worksheet(s)**

Password to unprotect the sheet(s):  
|

Show Password

OK  
Cancel

# Submenu - Protect or Hide

## Protect/ Unprotect selected Worksheets

### Protect Selected Worksheets

This function protects the selected worksheets in the active workbook with a chosen password.

Please notice that by default you should not select any of the advanced options below.

### Unprotect Selected Worksheets

This function unprotects the selected worksheets in the active workbook. If necessary, you will be asked for a password.

The required password to "recover" any lost password will be delivered when you buy the software.

### Key Benefit

- Recovers lost passwords
- Protects/ unprotects multiple worksheets at once

**Protect Worksheet(s)**

Password to protect the sheet(s):  
\*\*\*\*

Confirm Password:  
\*\*\*\*

Show Passwords

Allow all users of these worksheet(s) to:

<b>Select Cells</b> <input type="checkbox"/> Select locked cells <input type="checkbox"/> Select unlocked cells	<b>Delete Cells</b> <input type="checkbox"/> Delete columns <input type="checkbox"/> Delete rows
<b>Format Cells</b> <input type="checkbox"/> Format Cells <input type="checkbox"/> Format columns <input type="checkbox"/> Format rows	<b>Other</b> <input type="checkbox"/> Edit objects <input type="checkbox"/> Edit scenarios <input type="checkbox"/> Sort <input type="checkbox"/> Use AutoFilter <input type="checkbox"/> Use PivotTable reports <input type="checkbox"/> Insert hyperlinks
<b>Insert Cells</b> <input type="checkbox"/> Insert columns <input type="checkbox"/> Insert rows	

Only MTools Pro/ Ultimate/ Enterprise

OK  
Cancel

**Unprotect Worksheet(s)**

Password to unprotect the sheet(s):  
|

Show Password

OK  
Cancel

# Submenu - Protect or Hide

## Hide/ Unhide Worksheets

### Hide Sheets


This function let's you hide one or multiple worksheets. It will not be possible to unhide those sheets with the standard Excel Unhide function. If the checkbox "very hidden" is checked, then it will not be possible to unhide those sheets later with the standard Excel Unhide function.

### Unhide Sheets

This function let's you unhide one or multiple worksheets in the active workbook.

#### Key Benefit

- Unhides multiple sheets at once
- Hides sheets as 'very hidden'
- Unhides 'very hidden' sheets



# Submenu - Protect or Hide

## Protect/ Unprotect Workbook

---

### Protect Workbook

This function protects the active workbook with a password of your choice. This function doesn't offer any additional benefit compared to the corresponding 'Protect Workbook' function from Excel. I offer it only to complete the function category.

### Unprotect Workbook

This function unprotects the active workbook. If necessary, you will be asked for a password

The required password to "recover" any lost password will be delivered when you buy the software.

### Key Benefit

- Recovers lost password



# Submenu - Protect or Hide

## Encrypt/ Decrypt Workbook

---

### **Encrypt Workbook (only MTools Pro/ Ultimate/ Enterprise)**

This function encrypts the active workbooks with a 128 Bit RC4 encryption and saves the workbook afterwards. You will be prompted for a password when opening those files later.

### **Decrypt Excel files (only MTools Pro / Ultimate/ Enterprise)**

This function removes the file opening password from the active workbook, decrypts and saves it.

# Submenu - Readability Improvements

## Freeze/ Unfreeze Panes

### Freeze Pane


This function let's you split the visible screen at the selected cell in the selected worksheets.

### Unfreeze Pane

Unfreeze Panes in the selected worksheets.

### Key Benefit

- Multiple worksheets can be frozen/ unfrozen at once



# Submenu - Readability Improvements

## Anchor Mode

### Enable Anchor Mode

This function turns on the anchor mode. In this mode, the active cell will be centered, orange highlighted and Excel will behave different when changing the active worksheet or workbook:

- When you change the active worksheet, the active (highlighted) cell will be the same as in the previous worksheet.
- When you change the active workbook, the active sheet and cell will be the same as in the old workbook, if the according worksheet exists in the new workbook.
- When you go by link to another workbook/ worksheet then the active cell there will be the destination cell of the link.

Please notice, that the active cell will not be colored in protected worksheets.

-83.0	-7.0	-3.3%
24.7	-8.0	-24.6%
-9.2	-1.3	-16.7%

### Disable Anchor Mode

This function turns off the anchor mode.

### Key Benefit

- Makes the data analysis extremely convenient

Please notice, that some Excel functions (e.g. Copy) do not work, when the Anchor Mode is enabled!

# Submenu - Multiple Workbook Functions

## Update Links


### Update Links (only MTools Pro/ Ultimate/ Enterprise)

This function updates all external Excel Links in the selected Excel workbooks and saves and closes them.

- 1) Select the excel files that you would like to update
- 2) Click on the button 'Open'

### Key Benefit

- Updates Links in multiple excel files



# Submenu - Multiple Workbooks Functions



## Replace in all Links

Replace in all Links (only MTools Pro/ Ultimate/ Enterprise)

This function replaces a chosen string (not case sensitive) in every link in the selected excel workbooks.

### Key Benefit

- Modifies Links in multiple excel files



# Submenu - Multiple Workbooks Functions

## Protect/ Unprotect all Worksheets

### Protect All Worksheets (only MTools Pro/ Ultimate/ Enterprise)

This function protects all worksheets in the selected workbooks with a password of your choice.


### Unprotect All Worksheets (only MTools Pro/ Ultimate/ Enterprise)

This function unprotects all worksheets in the selected workbooks. If necessary, you will be asked for a password.

The required password to "recover" any lost password will be delivered on demand.

### Key Benefit

- Protects/ unprotects multiple sheets in multiple excel files



# Submenu - Multiple Workbooks Functions

## Protect/ Unprotect Workbooks

### Protect Workbooks

This function protects multiple workbooks with a password of your choice.

### Unprotect Workbooks

This function unprotects multiple workbooks. If necessary, you will be asked for a password

The required password to "recover" any lost password will be delivered when you buy the software.

### Key Benefit

- Recovers lost password



# Submenu - Multiple Workbooks Functions

## Encrypt/ Decrypt Excel files

---

### **Encrypt Excel files (only MTools Pro/ Ultimate/ Enterprise)**

This function encrypts multiple excel files with a 128 Bit RC4 encryption. You will be prompted for a password when opening those files later.

### **Decrypt Excel files (only MTools Pro / Ultimate/ Enterprise)**

This function removes the file opening password from multiple workbooks and decrypts the files.

### **Key Benefit**

- You can work with your excel files without an opening password and before you distribute them to other people you can comfortably add a password to all those files.

# Submenu - Multiple Workbooks Functions


## Custom Function

### Custom Function (only MTools Ultimate/ Enterprise)

This tool is for the advanced Excel User, who creates it's own Macros. The function will ask you for the name of a Macro and that Macro will be executed in all selected files. The Macro can be stored in any open excel file. It could even be part of the file that you open. The Macro needs to be PUBLIC and you cannot pass any data to it.

### Key Benefit

- Executes any function in multiple excel files



# Submenu - Multiple Workbooks Functions

## Open/ Close linked Workbooks

### Open linked Workbooks (only MTools Pro/ Ultimate/ Enterprise)



If the active workbook links to other excel workbooks, then this function let's you open those files or some of them. If you open the files "invisible", you can save excel ressources what means that you can open more files at the same time.

### Close linked Workbooks (only MTools Pro/ Ultimate/ Enterprise)

If the active workbook links to other excel workbooks, then this function let's you close those files or some of them.

### Key Benefit

- Saves Excel ressources when opening the excel files invisible
- Prevents any unwanted changes when opening the files read-only
- Opens all linked excel files at once



# Submenu - Fix Excel Problems

## Apply active Number Format

### Apply active Number Format

This function applies the presetted number format for each cell in the selected cells of the selected worksheets. It can be used to correct some number formatting problems.

e.g.: You chose the "number format" for all cells, but still excel treats the cell content as text. This function assures, that excel recognizes, that the content in the cells is your chosen number format.

### Example

Cell Content (Before)	Regognized as:	Presetted Format	Cell Content (After)	Regognized as:
'1000	Text	Number	1000	Number
1000	Text	Number	1000	Number
'12.05.2007	Text	Date	12.05.2007	Date
12.05.2007	Text	Date	12.05.2007	Date

# Submenu - Fix Excel Problems

## Calculate Full Rebuild

---

### Enhanced Workbook Calculation

Sometimes it can happen, that the automatic calculation doesn't work (doesn't calculate). In that case you can use this function to make a full recalculation of the file.

### Key Benefit

- Makes sure that complex workbooks are correctly calculated  
*(where automatic calculation sometimes fails)*

# Submenu - Report Tools

## Lock/ Unlock Cells

### Lock/ Unlock Cells (only MTools Pro/ Ultimate/ Enterprise)

This function let's you lock and/or unlock those of your selected cells that apply to certain conditions:

- empty cells
- cells that contain any formula
- cells that contain text or values
- cells that contain formulas with a specific string (*not case sensitive*)
- cells that have a % in the number format  
(Please be aware that this doesn't 100% mean that the cell has a percentage format)

Please notice, that the worksheet must be unprotected when you use this function.

### Key Benefit

- Selective locking/unlocking of cells supports the user in the development of reports  
(*e.g. Copy a formula (e.g. VLookup) in all unlocked cells*)

**Lock or Unlock cells**

Lock cells

Empty cells

cells containing Formulas

cells containing Text or Values

cells containing a formula with the following string:  
vlookup

cells with Percentage format

Unlock cells

Empty cells

cells containing Formulas

cells containing Text or Values

cells containing a formula with the following string:

cells with Percentage format

OK Cancel

# Submenu - Report Tools

## Unlock marked Cells


### Unlock marked Cells (only MTools Pro/ Ultimate/ Enterprise)

This function let's you unlock those cells in your selection, that have a specific background color.

Please notice, that the worksheet must be unprotected when you use this function.

### Key Benefit

- Selective unlocking of cells supports the user in the development of reports (e.g. *Unlock all yellow cells, that represent the input cells*)



# Submenu - Report Tools

## Mark unlocked Cells


### Mark unlocked Cells (only MTools Pro/ Ultimate/ Enterprise)

This function changes the background color of all unlocked cells in your selection to a color of your choice.

Please notice, that the worksheet must be unprotected when you use this function.

### Key Benefit

- Shows visually the lock status of the selected cells



# Submenu - Report Tools

## Group Selection by Indent Level

### Group Selection by Indent Level (only MTools Pro/ Ultimate/ Enterprise)

This function groups rows or columns mainly depending on the indent level of the text in the selected cells.

Outline Level 1: Bold text (*Indent level 0*)

Outline Level 2: Normal text (*Indent level 0*)

Outline Level 3: Italic, non bold text (*Indent level 0*)


Outline Level 4: Text with Indent Level 1

Outline Level 5: Text with Indent Level 2

Outline Level 6: Text with Indent Level 3

Outline Level 7: Text with Indent Level 4

Outline Level 8: Text with Indent Level 5



The image shows a spreadsheet interface with a submenu open over cell E6. The spreadsheet has columns labeled B, C, D, and E, and rows numbered 1 through 14. The submenu lists the following options:



Option
<b>BOLD</b>
Not Bold
<i>Italic non bold</i>
Indent 1
Indent 2
<i>Indent 3</i>
<i>Indent 4</i>
Indent 5

# Submenu - Report Tools

## Refresh Report

### Refresh Report (only MTools Ultimate/ Enterprise)

This is a general Import Tool, that let's you import the data of the unlocked cells from an old into a new report. The tool is comparing the distribution of locked and unlocked cells in each sheet and allows an import only in those sheets where the structure is identical. Depending on the differences between the old and the new report, you will get a list of available and not available sheets for the import. Please notice that only the data of unlocked cells will be imported. Therefore it is not relevant whether the sheets are protected or unprotected.



# Submenu - Report Tools

## Compare original with manipulated Report




### Compare original with manipulated Report (only MTools Ultimate/ Enterprise)

Whenever people create protected excel templates with unlocked input cells that the users should fill in, and locked cells that the users shouldn't modify, you can be sure, that some of them unprotect the worksheets - for their comfort - and modify the structure of the report or destroy some protected formulas. This tool offers a comfortable way to compare a returned report with the original template.

- 1) Select the original report (original template)
- 2) Select the report, that you want to compare with the original report

### Executed Checks

- Checks for missing sheets
- Compares the protection status of the worksheets
- Compares the sheet passwords (if protected)
- Compares the number of locked cells in each worksheet
- Compares the formulas in the locked cells
- Compares the distribution of the locked cells (structure)



# Submenu - Data Tables

## Remove duplicate Rows

---

### **Remove duplicate Rows (only MTools Pro/ Ultimate/ Enterprise)**

This function deletes all duplicate rows in the selection by comparing the values (not case sensitive) in the selected column(s). If you select rows in multiple columns, then the data in all columns has to be identical with the corresponding data in another row (not case sensitive) so that a row qualifies as a duplicate row.

# Submenu - Data Tables

## Mark duplicate Rows

---

### **Mark duplicate Rows (only MTools Pro/ Ultimate/ Enterprise)**

This function marks all duplicate rows in the selection by comparing the values (not case sensitive) in the selected column(s). If you select rows in multiple columns, then the data in all columns has to be identical with the corresponding data in another row (not case sensitive) so that a row qualifies as a duplicate row. The duplicate rows in the table will then be colored with a background color of your choice.


# Submenu - Data Tables

## Remove specific Rows

### Remove specific Rows (only MTools Ultimate/ Enterprise)

This function deletes all rows in the **Range 2** that contain one of multiple "key values" (not case sensitive) from the **Range 1**.

- 1) Select the cells, that contain the "key values" that determine which rows should be deleted  
(Each cell in your selection defines exactly **one** "key value")
- 2) In the table where you like to delete rows, please select cells in the column where you want to look for those "key values".  
(If your selection contains multiple columns, then the **combination** of the values in the different columns will be compared against the "key values")
- 3) Click on the OK button. Now, all rows in the **Range 2** that contain one of the "key values" from **Range 1** will be deleted.




# Submenu - Data Tables

## Keep specific Rows

### Keep specific Rows (only MTools Ultimate/ Enterprise)

This function deletes all rows in the **Range 2** that **do not contain** one of multiple "key values" (not case sensitive) from the **Range 1**.

- 1) Select the cells, that contain the "key values" that determine which rows should not be deleted  
(Each cell in your selection defines exactly **one** "key value")
- 2) In the table where you like to delete rows, please select cells in the column where you want to look for those "key values".  
(If your selection contains multiple columns, then the **combination** of the values in the different columns will be compared against the "key values")
- 3) Click on the OK button. Now, all rows in the **Range 2** that do not contain one of the "key values" from **Range 1** will be deleted.



# Submenu - Data Tables

## Change Values to Text

### Change Values to Text (only MTools Pro/ Ultimate/ Enterprise)

This function transforms the cells values of the selected cells in the selected sheets into text. You will be offered the following Transformation Options:

- Round Values


If you check this checkmark and select e.g. 1 as the number of fractional digits, then Excel will transform e.g. 15.514 into '15.5

- Transform Percentage Values


If you check this checkbox then Excel will transform e.g. 0.15 (=15%) in '15 %'. Otherwise it will be transformed into '0.15

- Fill up with Leading Zeros

If you check this checkbox and enter 3 as the number of leading digits, then Excel will transform e.g. 15 into '015



15%	15.532
12	5.43



**Change Values to Text**


Options

Round Values  
Number of fractional digits: 0

Transform Percentage Values (e.g. 0.15 => 15 %)

Fill up with Leading Zeros  
Number of leading digits: 0

OK Cancel



0.15	15.532
12	5.43




# Submenu - VBE Tools

## Remove VBE Comments

### Remove VBA Comments (only MTools Ultimate/ Enterprise)

This function removes any comments in the visual basic source code of the selected excel workbooks.

- 1) Make sure, that the VB Projects of the excel files - from which you want to remove the comments - are unlocked
- 2) Remove VBE Comments... ⇒ Select the excel files from which you would like to remove the VBA comments
- 3) Click on the button 'Open'



# Submenu - VBE Tools

## Export VBA Code

---

### Export VBA Code (only MTools Ultimate/ Enterprise)

This function exports the VBA Code of the active workbook and saves it as a textfile in the folder of the active workbook. Please make sure, that the Visual Basic Project of the active workbook is unlocked before you use this function. Otherwise, the VBA code will not be exported.

# Submenu - VBE Tools

## Remove VBE Code

---

### Remove VBE Code (only MTools Ultimate/ Enterprise)

This function removes the VBA Code of the active workbook. Please make sure, that the Visual Basic Project of the active workbook is unlocked before you use this function. Otherwise, the VBA code will not be removed.

# Submenu - Miscellaneous

## Edit Links

### Edit Links

This function supports the user in updating or modifying Excel links. Please notice that this tool let's you modify different links at the same time and that you can even change links to files that do not yet exist. Select first the links you want to change and click then on one of the buttons at the right.

### Update All

Update all Links.

### Update Selection

Update the selected Links.

### Change Source

Replace one selected Link by choosing a new Excel file.

### Edit Source

Manually edit the selected Link.

### Modify Source

Modify the corresponding parts of the selected links at once.

### Search & Replace


Replaces a string in all selected Links.

### Open Sources

Opens the selected Excel workbooks.

### Break Links

Removes the selected links.



# Submenu - Miscellaneous

## Edit Names

### Edit Names

This function let's you edit the names in the active workbook. You can create/ modify or delete names and you can filter them by scope and type.

#### Scope of listed Names

Global Names: Unique names in the workbook

Local Names: Names that refer to a specific sheet

#### Filter by type of listed Names

AND: Only those names that meet all conditions in the checked checkboxes will be shown in the box below.

OR: All names, that meet one of the conditions in the checked checkboxes will be shown in the box below.

NOT: All names, that do not meet any condition of the checked checkboxes, will be shown in the box below.

#### Function "Make Visible/Invisible"

This function lets you toggle the visibility of the names. Please notice that the standard Excel function only shows the visible names.

#### Function "Add Name"


Enter a name in the Textbox and a formula in the formula textbox and click on 'Add Name'.

#### Function "Modify Reference"

Select a name, modify the formula in the formula textbox and click on "Modify Reference"

#### Function "Delete Name"

Select the names you want to delete and click on "Delete".




# Submenu - Miscellaneous

## Add Formula

### Add Formula

This function adds a formula to the formula/value of each cell in the selected area of the selected worksheets. Empty cells or cells that contain neither a value nor a formula will be ignored.



### Key Benefit

- Works also in protected worksheets (*unlocked cells*)




# Submenu - Miscellaneous

## Add Worksheets

### Add Worksheets

This function adds multiple worksheets to the active excel workbook.




# Submenu - Miscellaneous

## Set Print Area

### Set Print Area

This function makes the selected area in the selected sheets to their print area.



# Submenu - Miscellaneous

## Insert Rows

### Insert Rows (only MTools Pro/ Ultimate/ Enterprise)

This function inserts one or multiple rows above the selected cell or row. If multiple sheets are selected, then the rows are entered above that cell in all of those sheets.


	A	B
1	Country	Profit
2	China	50 Mio
3	Australia (1)	10 Mio
4	USA	40 Mio



### Key Benefit

- You don't need to select row(s) to insert row(s). You can just select a single cell and insert multiple rows above it.

	A	B
1	Country	Profit
2	China	50 Mio
3		
4	Australia	10 Mio
5	USA	40 Mio




# Submenu - Miscellaneous

## Insert Columns

### Insert Columns (only MTools Pro/ Ultimate/ Enterprise)

This function inserts one or multiple columns to the left of the selected cell or row. If multiple sheets are selected, then the columns are entered to the left of that cell in all of those sheets.


	A	B
1	Country	Profit
2	China	50 Mio
3	Australia (1)	10 Mio
4	USA	40 Mio



### Key Benefit

- You don't need to select column(s) to insert column(s). You can just select a single cell and insert multiple columns to the left of the cell.

	A	B	C
1	Country		Profit
2	China		50 Mio
3	Australia		10 Mio
4	USA		40 Mio



# Submenu - Miscellaneous

## Paste Special Values/ Formulas

### Paste Special Values

This function makes it possible to access the original Excel function "Paste Special... ⇨ Values" using the Shortcut "CTRL+SHIFT+V".


- 1) Select the cells to copy
- 2) Copy the cells (CTRL+C)
- 3) Select the destination cell
- 4) Paste Special Values (CTRL+SHIFT+V)




	A	B	C
1			
2			
3		Germany	
4		Spain	
5		UK	
6			



	A	B	C
1			
2			
3		Germany	
4		Spain	
5		UK	
6			



	A	B	C	D	E
1					
2					
3		Germany		Germany	
4		Spain		Spain	
5		UK		UK	
6					



	A	B	C	D	E
1					
2					
3		Germany			
4		Spain			
5		UK			
6					

# Submenu - Miscellaneous

## About

### About MTools (Pro/ Ultimate/ Enterprise)

This function shows the following informations about the Software MTools (Pro):

- Number of open workbooks and worksheets
- Used resources
- End User Licence Agreement (EULA)
- Upgrade Offer (only in MTools)
- Link to a regularly updated online manual

**MTools**  
v1.02

Info

Open Workbooks:	3
Worksheets:	8
Needed Ressources:	2 Megabytes (2%)

**Upgrade to MTools Pro for USD 16.95**

- Free Lifetime Updates
- Additional exclusive functions

[Buy Now](#)

Marc Müller  
mmue@gmx.net  
[User Guidelines](#)

**END USER LICENSE AGREEMENT**

**Notice to Users**  
This End User License Agreement (the "Agreement") is a legally binding agreement between you (either an individual or an entity, the "User"), and Marc Müller regarding the software MTools (Pro) (the "Software" or the "Program"), and b) all successor revisions, patches, fixes, modifications, copies or additions to the Software, if any, licensed to you by Marc Müller (collectively, the "Updates"), and c) related user documentation and explanatory materials or files provided in written, "online" or electronic form (the "Documentation" and together with the Software and Updates, the "PRODUCT" or the "Distribution Package").

CAREFULLY READ THE FOLLOWING LEGAL AGREEMENT. USE OF THE PRODUCT PROVIDED WITH THIS AGREEMENT CONSTITUTES YOUR ACCEPTANCE OF THESE TERMS. IF YOU DO NOT AGREE TO THE TERMS OF THIS AGREEMENT, DO NOT INSTALL AND/OR USE THE PRODUCT. YOUR USE OF THE PRODUCT IS CONDITIONED UPON COMPLIANCE WITH THE TERMS OF THIS AGREEMENT.

**Intellectual Property Rights**  
The PRODUCT is owned and copyrighted by Marc Müller. The Software and any documentation included in the distribution package are protected by national copyright laws and international treaties. Any unauthorized use of the PRODUCT shall result in immediate and automatic termination of this license and may result in criminal and/or civil prosecution. Your possession, installation or use of the PRODUCT does not transfer to you any title to the intellectual property in the PRODUCT, and you will not acquire any rights in the PRODUCT except as expressly set forth in this Agreement.


[Refresh](#)  
[Close](#)

# Excel Warnings


## Manual Calculation Warning

### Manual Calculation Warning (only MTools Pro/ Ultimate/ Enterprise)

Sometimes people change the calculation settings in a workbook from automatic calculation to manual calculation (1) and remove also the checkmark in the box 'Recalculate before save'. If such a workbook is the first one that you open, then these dangerous calculation settings will also apply for all other workbooks that you open later. This is very dangerous, because it means that your other files will be saved in an uncalculated state and the dangerous calculation settings will also be saved in those files.



Don't worry! As a user of MTools, this will not happen to you. Whenever you save a workbook, MTools will warn you (2) if the calculation settings are Manual and if the checkbox 'Recalculate before save' is unchecked. You will have then the choice to continue saving the workbook uncalculated or to change the calculation settings to automatic prior to saving the workbook.



# MTools Worksheet Functions (MWF)

(only MTools Pro/ Ultimate/ Enterprise)

---

## Definition

Worksheet functions are functions, that are similar to the built-in excel functions like e.g. “=SUM(D6:D12)”. If you are using the MTools Worksheet Functions (MWF), then you must make sure, that every user of your spreadsheets has an installed copy of MTools. This is not a big issue, because trial editions from MTools never expire!

Please notice, that the Pro, Ultimate and Enterprise edition of MTools will always have access to all MTools Worksheet Functions, whereat the normal edition of MTools will never have access to any “MTools Worksheet Function (MWF)”.

## Recalculation of the MWF

A worksheet function in a cell X automatically recalculates it's value in the following situations:

1. The value in any cell - influencing the value in cell X – has been changed
2. The workbook has been opened

However, the values of many MWF do not (respectively not only) depend on other cell values and therefore don't get triggered to update. They get automatically updated when you open the workbook, but if you want to force an update at any other occasion, then you have to press **Control + ALT + F9** or use the Calculate function provided by MTools.



# MTools Worksheet Functions (MWF)

## Where to find?

### Where to find the MWF?

If you click on the «insert function button» (1), then you will get a window showing you all available Excel functions. By choosing the category MTools (2), you will get an overview of all MTools Worksheet Functions (MWF).

If you select now a function in the listbox below (3) and click on the button «ok», then you can add the chosen function to the active cell.



# MTools Worksheet Functions (MWF)

## How to access?

### How to access the MWF?

If you enter in any cell the expression «=mtools» (1) then you will get a popup window showing you all available worksheet functions provided by MTools. By making a double click on any of those functions (2) and clicking afterwards on the «insert function button» (3), a window will appear that shows you the (optional) parameters (4) for the chosen function.

This screenshot shows the initial steps in Excel. In cell A3, the user has entered the text '=mtools', which is highlighted with a red circle (1). A dropdown menu is open below the cell, listing various MTools functions. The first function, 'mtoolsAverageByColorNumberCell', is selected and highlighted in blue, with a red circle (2) next to it. The formula bar at the top shows '=mtools' with a red circle (3) next to the 'fx' icon.



This screenshot shows the 'Function Arguments' dialog box for the 'mtoolsAverageByColorNumberCell' function. The dialog box is open, and the function name is entered in the top field. Below it, there are two input fields: 'Average\_Range' and 'ColorNumber', each followed by an equals sign and a red circle (4). The dialog box also contains a 'No help available.' message, a 'Formula result =' field, and a 'Help on this function' link. The 'OK' and 'Cancel' buttons are visible at the bottom.


# MTools Worksheet Functions (MWF)

## Possible linking issues

### Possible linking Issues

If you are using the MWF in your spreadsheets, then you are creating automatically an excel link to your addin MTools. If other users save their copy of MTools in a different folder than you, then they have to change the link to the path of their addin MTools. This is an inherent issue, that all excel addin's – that provide worksheet functions – share with each other.

Don't worry, MTools automatically detects this issue during file opening and asks you if you would like to change the MTools link (1) to your installation path. Nevertheless, the **best solution** for this issue is to make a manual installation (instead of an automatic installation) of MTools in a folder of your choice. If everybody who uses your spreadsheets, installs MTools at the same location (e.g. C:\Tools\MTools\), then for all of them the MWF will work without any relinking.



	A1		f <sub>x</sub>	=SUM(D6:D12)		
	A	B	C	D	E	F
1	0					
2						
3						
4						

# MTools Worksheet Functions (MWF)

## Identification of users and their computers

### **=mtoolsUsername()**

Returns the excel username.

### **=mtoolsUsernameWindows()**

Returns the windows username (Login).

### **=mtoolsMACAddress([Index\_MAC])**


Returns the MAC address of the adapter number 'IndexMAC'. The MAC address can be used to uniquely identify a specific computer and can be used e.g. for the implementation of access rights for spreadsheets.

Optional arguments: Index\_MAC = Adapter number ;Default value (if omitted) = 1

### **=mtoolsMACAdapter([Index\_MAC])**

Returns the name of the MAC adapter number 'IndexMAC'.

Optional arguments: Index\_MAC = Adapter number ;Default value (if omitted) = 1



The screenshot shows an Excel spreadsheet with the following data:

	A	B
1	MWF	Formula result
2	mtoolsUsername()	MMUE
3	mtoolsUsernameWindows()	Marc
4	mtoolsMACAddress([Index_MAC])	00:18:F3:B6:A8:13
5	mtoolsMACAdapter([Index_MAC])	[00000007] Marvell Yukon 88E8001/8003/8010 PCI Gigabit Ethernet Controller

# MTools Worksheet Functions (MWF)

## Workbook informations

### **=mtoolsFilePath()**

Returns the path (including filename) of the workbook.

### **=mtoolsFileName()**

Returns the filename of the workbook.

### **=mtoolsPath()**

Returns the path (withouth filename) of the workbook.

### **=mtoolsSheetName([Index\_Sheet])**

Returns the name of the worksheet number [Index\_Sheet]. If you omit the optional parameter, then the function return the sheet name, that contains this formula.

Optional arguments: Index\_Sheet = Sheet number ;Default value (if omitted) = number of the worksheet, that contains this formula.

### **=mtoolsSheetNameInternal([Index\_Sheet])**

Returns the internal name of the worksheet number [Index\_Sheet], that users can only modify in the VBE environment. If you omit the optional parameter, then t the function return the sheet name (internal), that contains this formula.

Optional arguments: Index\_Sheet = Sheet number ;Default value (if omitted) = number of the worksheet, that contains this formula.

### **=mtoolsSheetsCount([OnlyVisible])**

Returns the number of sheets in the workbook. If you omit the optional parameter 'OnlyVisible', then the function returns the number of visible and invisible sheets.

Optional arguments: OnlyVisible: True ⇒ count only visible sheets, False ⇒ count visible and invisible sheets. ;Default value (if omitted) = False

B13		=mtoolsSheetsCount()	
	A	B	
7	MWF	Formula result	
8	mtoolsFilePath()	U:\Marc\My Documents\Programming\VBA\VBA Excel\MTools\UDF\UDF.xlsx	
9	mtoolsFileName()	UDF.xlsx	
10	mtoolsPath()	U:\Marc\My Documents\Programming\VBA\VBA Excel\MTools\UDF\	
11	mtoolsSheetName([Index_Sheet])	Sheet2	
12	mtoolsSheetNameInternal([Index_Sheet])	Sheet2	
13	mtoolsSheetsCount([OnlyVisible])	3	

# MTools Worksheet Functions (MWF)

## Cell Comments

### **=mtoolsGetComment**(CellX; [ShowAuthor]; [ShowSource]; [ShowText])

Returns the comment of the cell 'CellX'.

Required arguments: CellX: The cell from which you want to get the comment.

Optional arguments: ShowAuthor : True ⇒ Show the name of the person who wrote the comment. / False ⇒ Do not show it.

ShowSource: True ⇒ Show the cell address of the comment. / False ⇒ Do not show it.

ShowText: True ⇒ Show the comment text. / False ⇒ Do not show it.

;Default value (if omitted) = True

;Default value (if omitted) = True

;Default value (if omitted) = True

### **=mtoolsGetComments**([CommentsCount]; [Index1stComment]; [Name\_Sheet]; [ShowAuthor]; [ShowSource]; [ShowText])

Returns the comment of the cell 'CellX'

Tip: For an optimal presentation of multiple comments in one cell, please set the checkmark 'Wrap Text' in the window 'Format Cells'.

Optional arguments: CommentCount = The number of returned comments.

Index1stComment = The Index [1..n] of the first returned comment.

NameSheet: The name of the sheet from which the comments are returned.

ShowAuthor : True ⇒ Show the name of the person who wrote the comment. False ⇒ Do not show it.

ShowSource: True ⇒ Show the cell address of the comment. False ⇒ Do not show it.

ShowText: True ⇒ Show the comment text. False ⇒ Do not show it.

;Default value (if omitted) = 1

;Default value (if omitted) = 1

;If omitted ⇒ Get Comments from the whole workbook.

;Default value (if omitted) = True

;Default value (if omitted) = True

;Default value (if omitted) = True

### **=mtoolsGetCommentsCount**([Name\_Sheet])

Returns the number of comments of the sheet 'Name\_Sheet'. If you omit the optional argument 'Name\_Sheet', then the function returns the number of comments of the whole workbook.

Optional arguments: Name\_Sheet=Name of the sheet. If omitted ⇒ Get Comments from the whole workbook.

B18		<i>fx</i>	=mtoolsGetCommentsCount()
	A		B
15	MWF		Formula result
16	mtoolsGetComment(CellX; [ShowAuthor]; [ShowSource]; [ShowText])		My first Comment.
17	mtoolsGetComments([CommentsCount]; [Index1stComment]; [Name_Sheet]; [ShowAuthor]; [ShowSource]; [ShowText])		My first Comment.
18	mtoolsGetCommentsCount([Name_Sheet])		2

# MTools Worksheet Functions (MWF)

## Excel Links

### **=mtoolsGetLink**([Index\_Link])

Returns the Excel link number 'Index\_Link'.

Optional arguments: Index\_Link = Link number ;Default value (if omitted) = 1

### **=mtoolsGetLinks**()

Returns all Excel links of the workbook.

Tip: For an optimal presentation of multiple Links in one cell, please set the checkmark 'Wrap Text' in the window 'Format Cells'.

### **=mtoolsGetLinksCount**()

Returns the number of Excel links in the workbook.

B22		<i>f<sub>x</sub></i> =mtoolsGetLinksCount()
	A	B
19	MWF	Formula result
20	mtoolsGetLink(IndexLink)	C:\Users\Marc\AppData\Roaming\Microsoft\AddIns\MTools.xla
21	mtoolsGetLinks()	C:\Users\Marc\AppData\Roaming\Microsoft\AddIns\MTools.xla
22	mtoolsGetLinksCount()	2

# MTools Worksheet Functions (MWF)

## SumIF

### **=mtoolsSumIfBold**(Sum\_Range)

Returns the sum of the values of all **bold** cells in the range 'Sum\_Range'.

Required arguments: Sum\_Range = Cell range to sum the bold values

### **=mtoolsSumIfItalic**(Sum\_Range)

Returns the sum of the values of all *italic* cells in the range 'Sum\_Range'.

Required arguments: Sum\_Range = Cell range to sum the italic values

### **=mtoolsSumIfUnderlined**(Sum\_Range)

Returns the sum of the values of all underlined cells in the range 'Sum\_Range'.

Required arguments: Sum\_Range = Cell range to sum the underlined values

### **=mtoolsSumIfVisible**(Sum\_Range)

Returns the sum of the values of all visible cells in the range 'Sum\_Range'.

Required arguments: Sum\_Range = Cell range to sum the visible values

Tip: If you are working with 'Auto-Filter', then you have visible and invisible cells.

### **=mtoolsSumIfInvisible**(Sum\_Range)

Returns the sum of the values of all invisible cells in the range 'Sum\_Range'.

Required arguments: Sum\_Range = Cell range to sum the invisible values

# MTools Worksheet Functions (MWF)

## SumIF

---

### **=mtoolsSumIfLocked(Sum\_Range)**

Returns the sum of the values of all locked cells in the range 'Sum\_Range'.

Required arguments: Sum\_Range = Cell range to sum the locked values

### **=mtoolsSumIfUnlocked(Sum\_Range)**

Returns the sum of the values of all unlocked cells in the range 'Sum\_Range'.

Required arguments: Sum\_Range = Cell range to sum the unlocked values

### **=mtoolsSumIfCellColored(Sum\_Range)**

Returns the sum of the values of all cells in the range 'Sum\_Range' having any background color (and not a 'No Fill').

Required arguments: Sum\_Range = Cell range to sum the colored cells

# MTools Worksheet Functions (MWF)

## CountIF

---

### **=mtoolsCountIfBold**(Count\_Range)

Returns the number of all **bold** cells in the range 'Count\_Range'.

Required arguments: Count\_Range = Cell range to count the bold values

### **=mtoolsCountIfItalic**(Count\_Range)

Returns the number of all *italic* cells in the range 'Count\_Range'.

Required arguments: Count\_Range = Cell range to count the italic values

### **=mtoolsCountIfUnderlined**(Count\_Range)

Returns the number of all underlined cells in the range 'Count\_Range'.

Required arguments: Count\_Range = Cell range to count the underlined values

### **=mtoolsCountIfVisible**(Count\_Range)

Returns the number of all visible cells in the range 'Count\_Range'.

Required arguments: Count\_Range = Cell range to count the visible cells

Tip: If you are working with 'Auto-Filter', then you have visible and invisible cells.

### **=mtoolsCountIfInvisible**(Count\_Range)

Returns the number of all invisible cells in the range 'Count\_Range'.

Required arguments: Count\_Range = Cell range to count the invisible cells

# MTools Worksheet Functions (MWF)

## CountIF

### **=mtoolsCountIfLocked**(Count\_Range)

Returns the number of all locked cells in the range 'Count\_Range'.

Required arguments: Count\_Range = Cell range to count the locked cells

### **=mtoolsCountIfUnlocked**(Count\_Range)

Returns the number of all unlocked cells in the range 'Count\_Range'.

Required arguments: Count\_Range = Cell range to count the unlocked cells

### **=mtoolsCountIfUnlockedEmpty**(Count\_Range)

Returns the number of all unlocked empty cells in the range 'Count\_Range'.

Required arguments: Count\_Range = Cell range to count the unlocked empty cells

### **=mtoolsCountIfUnlockedNotEmpty**(Count\_Range)

Returns the number of all unlocked cells in the range 'Count\_Range', that are not empty.

Required arguments: Count\_Range = Cell range to count the unlocked cells, that are not empty

### **=mtoolsCountIfCellColored**(Count\_Range)

Returns the number of all cells in the range 'Count\_Range' having any background color (and not a 'No Fill').

Required arguments: Count\_Range = Cell range to count the colored cells

# MTools Worksheet Functions (MWF)

## AverageIF

### **=mtoolsAverageIfBold(Average\_Range)**

Returns the average of the values of all **bold** cells in the range 'Average\_Range'.

Required arguments: Average\_Range = Cell range to average the bold values

### **=mtoolsAverageIfItalic(Average\_Range)**

Returns the average of the values of all *italic* cells in the range 'Average\_Range'.

Required arguments: Average\_Range = Cell range to average the italic values

### **=mtoolsAverageIfUnderlined(Average\_Range)**

Returns the average of the values of all underlined cells in the range 'Average\_Range'.

Required arguments: Average\_Range = Cell range to average the underlined values

### **=mtoolsAverageIfVisible(Average\_Range)**

Returns the average of the values of all visible cells in the range 'Average\_Range'.

Required arguments: Average\_Range = Cell range to average the values in the visible cells

Tip: If you are working with 'Auto-Filter', then you have visible and invisible cells.

### **=mtoolsAverageIfInvisible(Average\_Range)**

Returns the average of the values of all invisible cells in the range 'Average\_Range'.

Required arguments: Average\_Range = Cell range to average the values in the invisible cells

# MTools Worksheet Functions (MWF)

## AverageIF

---

### **=mtoolsAverageIfLocked(Average\_Range)**

Returns the average of the values of all locked cells in the range 'Average\_Range'.

Required arguments: Average\_Range = Cell range to average the values in the locked cells

### **=mtoolsAverageIfUnlocked(Average\_Range)**

Returns the average of the values of all unlocked cells in the range 'Average\_Range'.

Required arguments: Average\_Range = Cell range to average the values in the unlocked cells

### **=mtoolsAverageIfCellColored(Average\_Range)**

Returns the average of the values of all cells in the range 'Average\_Range' having any background color (and not a 'No Fill').

Required arguments: Average\_Range = Cell range to average the values in the colored cells.

# MTools Worksheet Functions (MWF)

## MaxIF

### **=mtoolsMaxIfBold**(Max\_Range)

Returns the maximum of the values of all **bold** cells in the range 'Max\_Range'.

Required arguments: Max\_Range = Cell range to get the maximum of the bold values

### **=mtoolsMaxIfItalic**(Max\_Range)

Returns the maximum of the values of all *italic* cells in the range 'Max\_Range'.

Required arguments: Max\_Range = Cell range to get the maximum of the italic values

### **=mtoolsMaxIfUnderlined**(Max\_Range)

Returns the maximum of the values of all underlined cells in the range 'Max\_Range'.

Required arguments: Max\_Range = Cell range to get the maximum of the underlined values

### **=mtoolsMaxIfVisible**(Max\_Range)

Returns the maximum of the values of all visible cells in the range 'Max\_Range'.

Required arguments: Max\_Range = Cell range to get the maximum value of the visible cells

Tip: If you are working with 'Auto-Filter', then you have visible and invisible cells.

### **=mtoolsMaxIfInvisible**(Max\_Range)

Returns the maximum of the values of all invisible cells in the range 'Max\_Range'.

Required arguments: Max\_Range = Cell range to get the maximum value of the invisible cells

# MTools Worksheet Functions (MWF)

## MaxIF

---

### **=mtoolsMaxIfLocked**(Max\_Range)

Returns the maximum of the values of all locked cells in the range 'Max\_Range'.

Required arguments: Max\_Range = Cell range to get the maximum of the values in the locked cells

### **=mtoolsMaxIfUnlocked**(Max\_Range)

Returns the maximum of the values of all unlocked cells in the range 'Max\_Range'.

Required arguments: Max\_Range = Cell range to get the maximum of the values in the unlocked cells

### **=mtoolsMaxIfCellColored**(Max\_Range)

Returns the maximum of the values of all cells in the range 'Max\_Range' having any background color (and not a 'No Fill').

Required arguments: Max\_Range = Cell range to get the maximum of the values in the colored cells.

# MTools Worksheet Functions (MWF)

## MinIF

### **=mtoolsMinIfBold**(Min\_Range)

Returns the minimum of the values of all **bold** cells in the range 'Min\_Range'.

Required arguments: Min\_Range = Cell range to get the minimum of the bold values

### **=mtoolsMinIfItalic**(Min\_Range)

Returns the minimum of the values of all *italic* cells in the range 'Min\_Range'.

Required arguments: Min\_Range = Cell range to get the minimum of the italic values

### **=mtoolsMinIfUnderlined**(Min\_Range)

Returns the minimum of the values of all underlined cells in the range 'Min\_Range'.

Required arguments: Min\_Range = Cell range to get the minimum of the underlined values

### **=mtoolsMinIfVisible**(Min\_Range)

Returns the minimum of the values of all visible cells in the range 'Min\_Range'.

Required arguments: Min\_Range = Cell range to get the minimum value of the visible cells

Tip: If you are working with 'Auto-Filter', then you have visible and invisible cells.

### **=mtoolsMinIfInvisible**(Min\_Range)

Returns the minimum of the values of all invisible cells in the range 'Min\_Range'.

Required arguments: Min\_Range = Cell range to get the minimum value of the invisible cells

# MTools Worksheet Functions (MWF)

## MinIF

---

### **=mtoolsMinIfLocked**(Min\_Range)

Returns the minimum of the values of all locked cells in the range 'Min\_Range'.

Required arguments: Min\_Range = Cell range to get the minimum of the values in the locked cells

### **=mtoolsMinIfUnlocked**(Min\_Range)

Returns the minimum of the values of all unlocked cells in the range 'Min\_Range'.

Required arguments: Min\_Range = Cell range to get the minimum of the values in the unlocked cells

### **=mtoolsMinIfCellColored**(Min\_Range)

Returns the minimum of the values of all cells in the range 'Min\_Range' having any background color (and not a 'No Fill').

Required arguments: Min\_Range = Cell range to get the minimum of the values in the colored cells.

# MTools Worksheet Functions (MWF)

## Sum, Count, Average, Max, Min By Color

---

### **=mtoolsGetColorNumberCell(CellX)**

Returns the background color number of the cell 'CellX'.

Required arguments: CellX = The cell from which you would like to get the number of the background color

### **=mtoolsGetColorNumberFont(CellX)**

Returns the font color number of the cell 'CellX'.

Required arguments: CellX = The cell from which you would like to get the number of the font color

### **=mtoolsSumByColorNumberCell(Sum\_Range; ColorNumber)**

Returns the sum of the values of all cells in the range 'Sum\_Range' having the background color 'ColorNumber'.

Required arguments: Sum\_Range = Cell range to sum up the values of all cells having the background color 'ColorNumber'  
ColorNumber = Background color number

### **=mtoolsCountByColorNumberCell(Count\_Range; ColorNumber)**

Returns the number of cells in the range 'Count\_Range' having the background color 'ColorNumber'.

Required arguments: Count\_Range = Cell range to count the cells having the background color 'ColorNumber'  
ColorNumber = Background color number

### **=mtoolsAverageByColorNumberCell(Average\_Range; ColorNumber)**

Returns the average of the values of cells in the range 'Average\_Range' having the background color 'ColorNumber'.

Required arguments: Average\_Range = Cell range to average the values of all cells having the background color 'ColorNumber'  
ColorNumber = Background color number

# MTools Worksheet Functions (MWF)

## Sum, Count, Average, Max, Min By Color

### **=mtoolsMaxByColorNumberCell**(Max\_Range; ColorNumber)

Returns the maximum of the values of all cells in the range 'Max\_Range' having the background color 'ColorNumber'.

Required arguments: Max\_Range = Cell range to get the maximum of the values of all cells having the background color 'ColorNumber'  
ColorNumber = Background color number

### **=mtoolsMinByColorNumberCell**(Min\_Range; ColorNumber)

Returns the minimum of the values of all cells in the range 'Min\_Range' having the background color 'ColorNumber'.

Required arguments: Min\_Range = Cell range to get the minimum of the values of all cells having the background color 'ColorNumber'  
ColorNumber = Background color number

### **=mtoolsSumByColorNumberFont**(Sum\_Range; ColorNumber)

Returns the sum of the values of all cells in the range 'Sum\_Range' having the font color 'ColorNumber'.

Required arguments: Sum\_Range = Cell range to sum up the values of all cells having the font color 'ColorNumber'  
ColorNumber = Font color number

### **=mtoolsCountByColorNumberFont**(Count\_Range; ColorNumber)

Returns the number of cells in the range 'Count\_Range' having the font color 'ColorNumber'.

Required arguments: Count\_Range = Cell range to count the cells having the font color 'ColorNumber'  
ColorNumber = Font color number

### **=mtoolsAverageByColorNumberFont**(Average\_Range; ColorNumber)

Returns the average of the values of cells in the range 'Average\_Range' having the font color 'ColorNumber'.

Required arguments: Average\_Range = Cell range to average the values of all cells having the font color 'ColorNumber'  
ColorNumber = Font color number

# MTools Worksheet Functions (MWF)

## Sum, Count, Average, Max, Min By Color

---

### **=mtoolsMaxByColorNumberFont**(Max\_Range; ColorNumber)

Returns the maximum of the values of all cells in the range 'Max\_Range' having the font color 'ColorNumber'.

Required arguments: Max\_Range = Cell range to get the maximum of the values of all cells having the font color 'ColorNumber'  
ColorNumber = Font color number

### **=mtoolsMinByColorNumberFont**(Min\_Range; ColorNumber)

Returns the minimum of the values of all cells in the range 'Min\_Range' having the font color 'ColorNumber'.

Required arguments: Min\_Range = Cell range to get the minimum of the values of all cells having the font color 'ColorNumber'  
ColorNumber = Font color number

# MTools Worksheet Functions (MWF)

## Get Formula & (Non-)Numbers

### **=mtoolsGetFormula(CellX)**

Returns the formula in the cell 'CellX' in the local language of MS Excel. (e.g. Summe(A1:A10))

Required arguments: CellX = The cell from which its formula is returned

### **=mtoolsGetFormulaInt(CellX)**

Returns the formula in the cell 'CellX' in the international (english) language of MS Excel. (e.g. Sum(A1:A10))

Required arguments: CellX = The cell from which its formula is returned

### **=mtoolsExtractNumbers(CellX)**

Returns the numbers contained in the text/ value of the cell 'CellX'.

Required arguments: CellX = The cell from which its numbers are returned

### **=mtoolsRemoveNumbers(CellX)**

Returns the non-numbers contained in the text/ value of the cell 'CellX'.

Required arguments: CellX = The cell from which its non-numbers are returned

B42		<i>fx</i> =mtoolsRemoveNumbers(Sheet2!A7)
	A	B
38	MWF	Formula result
39	mtoolsGetFormula(CellX)	=SUM(G2:G12)
40	mtoolsGetFormulaInt(CellX)	=SUM(G2:G12)
41	mtoolsExtractNumbers(CellX)	123456
42	mtoolsRemoveNumbers(CellX)	ABCDEF

# MTools Worksheet Functions (MWF)

## Merge Cells

**=mtoolsMergeCells**(Merge\_Area; [Separator]; [NoEmptyCells]; [OnlyVisible])

Returns the values of all cells in the range 'Merge\_Area' – separated by the delimiter 'Separator'. You can also define that you only want to merge the visible cells or those that are not empty.

Required arguments: Merge\_Area = The cell from which its formula is returned

Optional arguments: Separator = The delimiter that separates the content of the individual cells (e.g. «;») .

NoEmptyCells: *True* ⇒ Exclude empty cells, *False* ⇒ Include empty cells.

OnlyVisible: *True* ⇒ Exclude the invisible cells, *False* ⇒ Merge the visible and invisible cells.

;If omitted ⇒ No delimiter

;Default value (if omitted) = True

;Default value (if omitted) = False

### Business Case

You can use this function e.g. to create an email string of the customers that bought a specific product from you. The email string will contain the email addresses from all cells, that have not been removed by the «Auto-Filter» from Excel. In the first printscreen, the function returns all email addresses – separated by a «;».

Name	Product				email
	MTools	MTools P	MTools U	MTools E	
Peter Muster		X			<a href="mailto:peter.muster@gmx.com">peter.muster@gmx.com</a>
Hans Muster	X				<a href="mailto:hans.muster@gmx.com">hans.muster@gmx.com</a>
Sandra Muster			X		<a href="mailto:sandra.muster@gmx.com">sandra.muster@gmx.com</a>
Gaby Muster				X	<a href="mailto:gaby.muster@gmx.com">gaby.muster@gmx.com</a>
Nicole Muster		X			<a href="mailto:nicole.muster@gmx.com">nicole.muster@gmx.com</a>
Alex Muster				X	<a href="mailto:alex.muster@gmx.com">alex.muster@gmx.com</a>
Marc Muster	X				<a href="mailto:marc.muster@gmx.com">marc.muster@gmx.com</a>
Reto Muster			X		<a href="mailto:reto.muster@gmx.com">reto.muster@gmx.com</a>
Email string for Outlook:	peter.muster@gmx.com;hans.muster@gmx.com;sandra.muster@gmx.com;gaby.muster@gmx.com;nicole.muster@gmx.com;alex.muster@gmx.com;marc.muster@gmx.com;reto.muster@gmx.com				

In the second printscreen, the Auto-Filter removed all customers, who did not buy the Software «MTools P». Therefore, these rows remain invisible, and the formula returns an email string containing only the 2 visible email addresses.

C13		fx =mtoolsMergeCells(G4:G12;"";TRUE;TRUE)				
2	Name	Product				email
	3	MTools	MTools P	MTools U	MTools E	
4	Peter Muster		X			<a href="mailto:peter.muster@gmx.com">peter.muster@gmx.com</a>
8	Nicole Muster		X			<a href="mailto:nicole.muster@gmx.com">nicole.muster@gmx.com</a>
13	Email string for Outlook:	peter.muster@gmx.com;nicole.muster@gmx.com				

# MTools Worksheet Functions (MWF)

## Get Names

### **=mtoolsGetDefinedName**([Index\_Name]; [OnlyVisible])

Returns the name of the defined name number 'Index\_Name' in the workbook. If 'OnlyVisible' is True then the function returns the x'th visible defined name saved in the workbook.

Required arguments: Index\_Name = e.g. 5 returns the 5'th (visible) defined name that has been saved in the workbook.  
OnlyVisible = True or False => Returns only visible names or visible and hidden names.

### **=mtoolsGetDefinedNameFormula**([Index\_Name]; [OnlyVisible])

Returns the formula of the defined name number 'Index\_Name' in the workbook. If 'OnlyVisible' is True then the function returns the formula of the x'th visible defined name saved in the workbook.

Required arguments: Index\_Name = e.g. 5 returns the formula of the 5'th (visible) defined name that has been saved in the workbook.  
OnlyVisible = True or False => Returns only the formulas of visible names or the formulas of visible and hidden names.

### **=mtoolsGetDefinedNames**([NamesCount]; [Index1stName]; [OnlyVisible])

Returns the names of multiple (NamesCount) defined names starting with the defined name number 'Index1stName'. If 'OnlyVisible' is True then the function returns only visible defined names saved in the workbook.

Required arguments: NamesCount = The number of defined names that should be returned.  
Index1stName = Returns the x'th defined name and following y defined names.  
OnlyVisible = True or False => Returns only visible names or visible and hidden names.

### **=mtoolsGetDefinedNamesFormulas**([NamesCount]; [Index1stName]; [OnlyVisible])

Returns the formulas of multiple (NamesCount) defined names starting with the defined name number 'Index1stName'. If 'OnlyVisible' is True then the function returns only the formulas of visible defined names saved in the workbook.

Required arguments: NamesCount = The number of formulas that should be returned.  
Index1stName = Returns the formula of the x'th defined name and the formulas of the following y defined names.  
OnlyVisible = True or False => Returns only the formulas of visible names or the formulas of visible and hidden names.

### **=mtoolsGetDefinedNamesCount**([WholeWorkbook]; [OnlyVisible])

Returns the number of defined names saved in the workbook or in the underlying sheet. If 'OnlyVisible' is True, then only visible names will be counted.

Required arguments: WholeWorkbook = True or False => Returns the number of defined names in the whole workbook or in the underlying sheet.  
OnlyVisible = True or False => Returns only the number of visible names or of all names.

# MTools Worksheet Functions (MWF)

## OLE Objects

---

### **=mtoolsGetOLEObjectsCount**(Name\_Sheet, OnlyVisible)

Returns the number of embedded OLE Objects (e.g. Embedded Powerpoint documents,...) in a specific sheet or in the whole workbook.

Required arguments: Name\_Sheet = If you enter the name of a sheet (e.g. Sheet1) then the function returns the number of OLE Objects embedded in that sheet. If you omit the parameter, then the function returns the number of OLE Objects in the whole workbook.

OnlyVisible = True or False => Returns only the number of embedded visible OLE objects or the number of all embedded OLE objects.

# FAQ – Frequently Asked Questions

---

## 1. Does the message “Excel is not responding” mean that Excel crashed?

No, the message "Excel not responding" actually means, that Excel is very busy and does not give an answer to the Operating System. Of course, this message appears when Excel crashed, but the message itself does not mean that Excel really crashed!

Some Excel tasks like e.g. "modifying cells containing links to other files" can be very slow and you will often get the message "Not responding". Therefore you should first estimate how long the whole task will take by e.g. "modifying first just a few cells" and then making the whole task and waiting as long as you calculated that it will take.

This is especially valid when you are using MTools. To speed up the process I often disable the screen updating. Therefore you will not see MTools working at all until the whole work is done. MTools rarely crashes and therefore you can trust it even if you get the message "Not Responding" or if your Excel screen is looking strange. If you want to make sure that MTools is still working then click on the Escape key. If a message box appears that tells you, that the "Code execution has been interrupted", then you know for sure that MTools is still working. Now you can just click on Continue so that MTools can finish its job. Please notice that even if that message box does not appear, MTools might still be working. The reason for that is that Excel cannot interrupt anytime to show that message box. Another reason is that not all MTools functions allow the use of the Escape key so use it only when you see the message "Not Responding" and if you are thinking that Excel crashed. It will give you more trust using MTools and ignoring such messages like "Excel is not responding".

When your boss is calling you, you might sometimes not answer him, because you are very busy, but that does not always mean that you are not working... :)

## 2. How can I use the MTools functions to improve my working efficiency?

First you should know, that there is a business reason for every single MTools function. During my professional work with Excel in Controlling and Accounting, I developed many efficient working techniques, that require the support of MTools. I introduced some of this working techniques in my Best Practices Guide in the folder “Tipps & Tricks” as well as on my [Facebook homepage](#). Over time I will give you more insights in the different MTools functions and how you can use them to increase your working efficiency.

# FAQ – Frequently Asked Questions


### 3. Why does the MTools Worksheet Function X not automatically recalculate, although the automatic calculation is enabled?

Excel generally only recalculates a cell, if the value of any other cell – influencing their value – changes. This means, that if the value in cell X depends on the values in cell Y and cell Z, then the value in cell X will only be recalculated if the value in cell Y or Z changes.

However, the values of many MWF do not (respectively not only) depend on other cell values and therefore don't get triggered to update. They get automatically updated when you open the workbook, but if you want to force an update at any other occasion, then you have to press **Control + ALT + F9** or use the Calculate Function provided by MTools.

#### Example:

The cell B2 contains the formula “=mtoolsSumIfBold(B4:B7)”, that calculates the sum of all bold cells in the range “B4:B7”. If the value of any cell in the range “B4:B7” changes, than the value in the cell B2 will automatically be updated. However, if you only make e.g. the cell B6 bold, then no update will be triggered and you have to do that manually by pressing Control + ALT + F9, by using the MTools function “Calculate” or by closing and reopening the workbook.



The screenshot shows an Excel spreadsheet with the following data:

	A	B	C
1			
2	Sum of all bold cells in the range B4:B7:	<b>70</b>	
3			
4		10	
5		<b>30</b>	
6		20	
7		<b>40</b>	
8			

The formula bar for cell B2 shows: `=mtoolsSumIfBold(B4:B7)`